CLIPEX®
Fencing & Stockyards

A family owned Australian business

SHEEP HANDLER & BUGLE
SOLUTION PACKAGE



+

- Increase efficiency and return on investment with our entry sheep handling package
- Automatically draft 3 ways with included Tru-Test JR5000
- Maximise animal flow with the included feed-in bugle and V-race

PACKAGE INCLUDES

- CLIPEX SHEEP HANDLER (base model)
- ELECTRIC JACKS FOR ADJUSTABLE WORKING HEIGHT
- TRU-TEST JR5000 INDICATOR
- SEMI-PERMANENT SHEEP PANELS FOR FEED-IN BUGLE WITH POLY BELT
- 2.1m HOT DIP V-RACE
- WIRELESS REMOTE CONTROL

INCLUDES ***SHEEP HANDLER SETUP & WALK-THROUGH***

CLIPEX.COM.AU | 1800 65 77 66

SOLUTION SPECIFICATIONS



PACKAGE **CONTENTS**

ITEM TYPE	QUANTITY
Sheep Handler Base Model	1
Sheep Handler Remote Control	1
Tru-Test JR5000 Indicator	1
Iconix steel 2000kg loadbar set	1
STD SP60 Sheep Panel 2.3m	15
2.1m Sheep V-Race Module	1
Lift & swing gate for V-Race	1
PolyBelt 1200H x 2mm thick	20m
STD Sheep Gate 2.4m	2
16mm Yard Pins	40

DESIGNED FOR ***EFFICIENCY***

AUTOMATED SHEEP HANDLING

FITS INTO YOUR EXISITING YARD

SOLUTION SPECIFICATIONS

PLAN VIEW



HANDLER DIMENSIONS



SHEEP HANDLER **KEY FEATURES**



MULTI-PURPOSE ALL IN ONE SHEEP HANDLING MACHINE

- **AUTOMATIC DRAFTING**
- **CRUTCHING**
- **PREG-TESTING**
- **DRENCHING**
- **REMOTE CONTROL**
- **DAGGING**
- **EAR TAGGING**
- **WIGGING**
- **WIRELESS REMOTE**

- Automatic catch and Tilt (hands free operation)
- Automatic weighing, recording and drafting
- Patented Pre-catch to increase sheep flow
- Electric jacks for adjustable working height
- Reduces fatigue and bodily harm
- Most features in its class
- Easy to operate and maintain
- Reduce labour costs

3-WAY **DRAFT**

5-WAY DRAFT UPGRADE AVAILABLE

CATCH & **TILT**

PATENTED **PRE-CATCH**

SHEEP HANDLER **KEY FEATURES**

SHEEP HANDLING MADE EASIER, FASTER AND SIMPLER

CRUTCH UP TO	HANDLE UP TO	DRAFT UP TO
120	**400**	**800**
SHEEP PER HOUR	SHEEP PER HOUR	SHEEP PER HOUR

AUTO PRE-CATCH

Automatically cycles sheep through the unit with a chamber before the catch. This significantly improves flow rate

AUTO CATCHING



Automatically catches and clamps the sheep quickly and securely. The catch position is fully adjustable

AUTO DRAFTING

Using a weigh indicator, the handler can draft up to 5 ways quickly and accurately

TILT TABLE

After sheep are caught, they can be tilted over at the press of a button on the panel or the wireless foot pedal

TAIL ACCESS

A tail flap opens up for crutching and rear hoof access. When releasing the animal, it doubles as an anti-backing flap

HEAD ACCESS

After the catch is tilted over, the head flap opens up for wigging, needling, mouthing, tagging and for access to the front feet

SHEEP YARD **KEY FEATURES**

HEAVY OVAL RAIL SHEEP PANELS

Rail Size	60 x 30 Oval
Rail QTY	6
Uprights	40 x 40 RHS
Gate Frame	50 x 50 RHS
Gate Latch	Chain
Galvanising	Pre-gal 150g/m²
Lug Thickness	5mm
Pin Size	16mm



INCLUDED IN PACKAGE

HEAVY SHEEP PANEL WEIGHT: 29KG



HEAVY SHEEP GATES WEIGHT: 55KG



2.1M V-RACE BENEFITS



INCLUDES **LIFT AND SWING GATE**

- Complements the bugle package for optimal flow
- Anti-backing bars to prevent flow issues
- Hot dip galvanised for longevity

- Easy to use lift-&-swing gate
- Flat packed for ease of transport
- Can be bolted down

INCLUDED IN PACKAGE

INDICATORS

INCLUDED

JR5000

Tru-Test™
DATAMARS

Weigh, Track, Act.

Get started making better individual animal management decisions by using accurate live weights and historical weight gains.

The JR5000 weigh scale indicator gives you the capability to record information against Electronic ID (EID) and Visual tags, allowing you to easily capture and analyse individual animal performance and history. Replacing guesswork with facts, the JR5000 displays live weight gain since the previous session, showing animal performance right there in the yard.

The JR5000 features Tru-Test's proven Superdamp™ IV technology, enabling you to capture accurate live animal weights faster than any other weigh scale on the market, even for the liveliest animals.

Using its built-in Bluetooth® technology, the JR5000 connects to Tru-Test EID readers, automatically transferring scanned ID's straight into the weigh scale indicator, saving time and improving accuracy. The animal's VID can also be entered manually using the large and durable keypad.

With our Datamars Livestock cloud software (Starter plan free with your Tru-Test weigh scale), it's now even easier to turn your weighing data into simple, clear valuable insights.

- ✓ **Weigh stock in the shortest time possible without compromising accuracy.**
- ✓ **Make more informed decisions on how to manage individual animals.**
- ✓ **Designed for ease of use in a crush or race side with minimal training.**
- ✓ **Rugged design for the tough agricultural environment.**
- ✓ **Large colour screen and the full keypad used in our top of the range/professional products, for an entry level price.**

www.tru-test.com

How are you tracking?
Let's talk.
0800 263 278 (NZ)
1800 641 324 (AU)

EXCELLENCE IN ELECTRONIC WEIGHING

PRE-INSTALLED

ICONIX FX Series Standard Loadbar Set

600mm 850 080
1000mm 850 082

ICONIX FX Series Standard Loadbars are made from tough rust-protected steel and designed for use under platforms, crates, and crushes

Supplied with heavy duty cables as standard, sealed into bars to eliminate moisture. Shock absorbing rubber mounts protect the load cells and maintain weighing accuracy in even the toughest environments

- Weigh up to 2000kg
- Heavy duty 6m cables
- 600mm and 1000mm lengths as standard (400mm by special order)
- Tough and fully weatherproof



LOADBAR	DIMENSION A	B
600mm	570	546
1000mm	970	946