CLIPEX®
Fencing & Stockyards

A family owned Australian business

CONTRACTOR SHEEP HANDLER
SOLUTION PACKAGE

+

+ 

Wireless Control

- Handle sheep and perform all jobs with ease and safety wherever you are with our portable sheep handler package
- Automatically draft 3 ways with included Tru-Test JR5000
- Hands free and wireless operation with included remote & foot pedal

PACKAGE INCLUDES

- CLIPEX SHEEP HANDLER (contractor model) INCLUDING TOWABLE TRAILER KIT
- ELECTRIC JACKS FOR ADJUSTABLE WORKING HEIGHT
- TRU-TEST JR5000 INDICATOR
- FOOT PEDAL & REMOTE FOR WIRELESS OPERATION

INCLUDES ***SHEEP HANDLER SETUP & WALK-THROUGH***

CLIPEX.COM.AU | 1800 65 77 66

SOLUTION SPECIFICATIONS





PACKAGE **CONTENTS**

ITEM TYPE	QUANTITY
Sheep Handler Base Model	1
Contractor Upgrade Kit (Drawbar & Wheels)	1
Sheep Handler Remote Control	1
Sheep Handler Foot Control	1
Iconix steel 2000kg loadbar set	1
Tru-Test JR5000 Indicator	1

*DESIGNED FOR **EFFICIENCY***

AUTOMATED SHEEP HANDLING

FITS INTO YOUR EXISITING YARD

SHEEP HANDLER **KEY FEATURES**



MULTI-PURPOSE ALL IN ONE SHEEP HANDLING MACHINE

- **AUTOMATIC DRAFTING**
- **CRUTCHING**
- **PREG-TESTING**
- **DRENCHING**
- **REMOTE CONTROL**
- **DAGGING**
- **EAR TAGGING**
- **WIGGING**
- **WIRELESS REMOTE**

- Automatic catch and Tilt (hands free operation)
- Automatic weighing, recording and drafting
- Patented Pre-catch to increase sheep flow
- Electric jacks for adjustable working height
- Reduces fatigue and bodily harm
- Most features in its class
- Easy to operate and maintain
- Reduce labour costs

INCLUDED **3 WAY**

OPTIONAL 5 WAY AVAILABLE

CATCH **& TILT**

PATENTED **PRE-CATCH**

SHEEP HANDLER **KEY FEATURES**

SHEEP HANDLING MADE EASIER, FASTER AND SIMPLER

CRUTCH UP TO	HANDLE UP TO	DRAFT UP TO
120	**400**	**800**
SHEEP PER HOUR	SHEEP PER HOUR	SHEEP PER HOUR

AUTO PRE-CATCH

Automatically cycles sheep through the unit with a chamber before the catch. This significantly improves flow rate

AUTO CATCHING



Automatically catches and clamps the sheep quickly and securely. The catch position is fully adjustable

AUTO DRAFTING

Using a weigh indicator, the handler can draft up to 5 ways quickly and accurately

TILT TABLE

After sheep are caught, they can be tilted over at the press of a button on the panel or the wireless foot pedal

TAIL ACCESS

A tail flap opens up for crutching and rear hoof access. When releasing the animal, it doubles as an anti-backing flap

HEAD ACCESS

After the catch is tilted over, the head flap opens up for wigging, needling, mouthing, tagging and for access to the front feet

BUNDLED **ACCESSORIES**

INCLUDED



Wireless Control

Foot Pedal + Remote Control

Hands free operation with heavy duty foot panel

Wireless operation with remote control by StarLogix®

Be unencumbered & more able to complete tasks no matter the situation

Remote powered by AA batteries

INCLUDED

Tru-Test™ **JR5000**

Store up to I million records in I000 weighing sessions.

Track performance through a range of features to calculate and visualise the performance of individual animals or groups

Draft up to 5 ways by weight

Simple and fast to set up with predefined and saved setups

PRE-INSTALLED

Iconix **Load Bars**

Weigh up to 2000kg

Tough and waterproof load cells are protected against weather damage and pre-installed to the handler

Shock absorbing rubber mounts protect the loadcells and maintain weighing accuracy in spite of distortion or expansion/contraction of the unit to which the bars are fitted

AVAILABLE ADD-ON

Tru-Test™ **XRP2**

Reads all HDX and FDX-B tags
NLIS compatible

Record tags or send to your weigh scale indicator

Wirelessly connect with your weigh scale indicator or smartphone using Bluetooth

Rugged design for the tough agricultural environment

Includes Extension Cable

AVAILABLE ADD-ON

PUMA® **P22H Air Compressor**

Motor Power: **2.4 kW (3.2 hp)**

Pump Displacement: **540 L/min (I9.I cfm)**

Free Air Delivery: **540 L/min (I5.5 cfm)**

Maximum Pressure: **I,000 kPa (I45 psi)**

Tank Volume: **75 Litres**

Pump Model: **Puma PG4I**

Pump Speed: **900 rpm**

AVAILABLE ADD-ON

Battery & Solar Package

40w I2V Solar Panel

Solar Charger Controller

I05AH Deep Cycle Battery

Battery Box

Easily Portable Power for your recording equipment

Nation Wide Warranty

Through Battery World

INDICATORS

INCLUDED

JR5000

Tru-Test DATAMARS

Weigh, Track, Act.

Get started making better individual animal management decisions by using accurate live weights and historical weight gains.

The JR5000 weigh scale indicator gives you the capability to record information against Electronic ID (EID) and Visual tags, allowing you to easily capture and analyse individual animal performance and history. Replacing guesswork with facts, the JR5000 displays live weight gain since the previous session, showing animal performance right there in the yard.

The JR5000 features Tru-Test's proven Superdamp™ IV technology, enabling you to capture accurate live animal weights faster than any other weigh scale on the market, even for the liveliest animals.

Using its built-in Bluetooth® technology, the JR5000 connects to Tru-Test EID readers, automatically transferring scanned ID's straight into the weigh scale indicator, saving time and improving accuracy. The animal's VID can also be entered manually using the large and durable keypad.

With our Datamars Livestock cloud software (Starter plan free with your Tru-Test weigh scale), it's now even easier to turn your weighing data into simple, clear valuable insights.

- ✓ **Weigh stock in the shortest time possible without compromising accuracy.**
- ✓ **Make more informed decisions on how to manage individual animals.**
- ✓ **Designed for ease of use in a crush or race side with minimal training.**
- ✓ **Rugged design for the tough agricultural environment.**
- ✓ **Large colour screen and the full keypad used in our top of the range/professional products, for an entry level price.**

www.tru-test.com

How are you tracking?
Let's talk.
0800 263 278 (NZ)
1800 641 324 (AU)

EXCELLENCE IN ELECTRONIC WEIGHING

PRE-INSTALLED

ICONIX FX Series Standard Loadbar Set

600mm 850 080
1000mm 850 082

ICONIX FX Series Standard Loadbars are made from tough rust-protected steel and designed for use under platforms, crates, and crushes

Supplied with heavy duty cables as standard, sealed into bars to eliminate moisture. Shock absorbing rubber mounts protect the load cells and maintain weighing accuracy in even the toughest environments

- Weigh up to 2000kg
- Heavy duty 6m cables
- 600mm and 1000mm lengths as standard (400mm by special order)
- Tough and fully weatherproof



LOADBAR	DIMENSION A	B
600mm	570	546
1000mm	970	946